

Peer Table price book Prices effective July 5, 2023 Published July 5,2023

Specification Information

| General Information | 2 |
|---------------------|----|
| How to Specify | 4 |
| Base Finishes | 5 |
| Edge Details | 6 |
| Inlay | 7 |
| Laminates | |
| Marquetry | 8 |
| Module Types | 9 |
| Wood Finishes | 10 |
| Seating Capacity | 12 |
| | |

Conference Tables

| Peer ^(R) | ai3 | 18-27 |
|---------------------|---------------------------------------|-------|
| Index | | 26 |
| 0 | , Inc. • 6095 Fulton Industrial Blvd. | • |

General Information

Terms and Conditions Order Information

GEIGER

Application of Standard Terms

Only the standard terms of sale stated in Geiger's acceptance of an order is final and Customer obtains title to products and materials those terms are modified or supplemented canceled without Geiger's written consent. by a written document signed by an officer of Geiger International, Inc. ("Geiger"). Any Orders placed on any of Geiger's expedited quantities, as products are manufactured.

Use of Furniture and Materials

Geiger assumes that textiles, leathers and products are intended for commercial use If Customer cannot accept delivery when products edges, textiles, pulls, etc., are not counted in installed and used as intended, products remain real estate law.

Furniture Prices

Prices are determined by using the published list prices in effect when Geiger receives Customer's For casegoods and seating orders shipped within requested ship date is more than three months after Geiger receives Customer's order, it may products ship. If Customer designates special requested otherwise. finishes or options, additional charges may apply. Services such as design, project management, For orders shipped to Alaska or Hawaii, the handling, installation, or inventory management are not included in Geiger's list prices.

COM / COL Procedures

If an order includes Customer-supplied materials, All textile shimpents will be made FOB Geiger at Customer's own expense. The materials must be tagged with Geiger's confirmation Hildebrand, NC 28637. number, item number, Customer's name, and purchase order number. Geiger is not liable for inadequacies in Customer's materials. Geiger will notify Customer of any apparent defects Geiger's casegoods products are shipped in in Customer's materials before manufacturing.

Taxes

Customer is responsible for any local sales taxes or other similar taxes imposed on transactions.

Delays

Geiger is not liable for failure to ship by the acknowledged shipping date or any other date. Geiger is not liable for a delay or failure in Shipments from Geiger Atlanta under \$50,000 net is caused by acts of omission of Customer, its with cardboard channels and shrink wrap. agents, employees, contractors, a governmental authority, or God; delays in transportation; or Geiger's seating is cartoned in boxes for all reasonable control. Geiger is excused from request. further performance of its obligations for the duration of a force majeure cause.

Changes and Cancellation

this catalog apply to any transaction unless binding and an order may not be changed or and assumes the risk of loss for them upon

terms contained in Customer's purchase order, shipment programs and orders of custom-dyed including standard printed provisions, that are or custom-woven materials may not be changed additional to or contrary to these terms, are not or canceled. To change or cancel other orders, contact Geiger Customer Care in writing for A shipping surcharge will be added to all orauthorization and applicable charges.

Storage

and are not being bought for use primarily for are ready, it is the customer's responsibility to the calculation. personal, family, or household purposes. When transfer products to storage and products are invoiced at that time. Customer is responsible for Zone 1 3.6% (GA, NC, SC) chattel property, are not considered fixtures, and actual storage charges and any other expenses Zone 2 4.2% (AL, FL, MS, TN, AR, LA) no interest in them should arise under applicable relating to the storage of products or materials. Zone 3 4.8% (IL, IN, KY, MI, OH, WI, IA, KS, Customer bears all risk of loss for products or materials in storage.

Freight Terms

completed purchase order. If Customer's the 48 contiguous United States, surface freight charges are included. For textile and leather orders actual freight charges will be invoiced. be repriced using the list prices in effect when Orders are shipped via ground carrier unless

packaging, storage, inside delivery, double freight terms stated above apply only to the port of embarkation. Shipments beyond that point are freight collect. Domestic deliveries are shipped FOB Geiger's plant to a destination designated by Customer by a method Geiger selects.

Customer must ship those materials to Geiger Textiles, Yaphank, NY 11980. All leather shipments will be made FOB Geiger Textiles,

Packaging and Shipping

component form. Shipments over \$50,000 net are blanket wrapped. Tops and panels are shrink wrapped with cardboard corner protection. Pedestals, storage units, overheads and vertical storage units are wrapped in blankets and shrink wrapped with cardboard corner protection. Blankets are to be returned to Geiger for reuse. If the customer request cartoning on orders over \$50,000 net, there will be a charge of five percent of the net order. Packing materials are recyclable.

shipment or performance if the delay or failure are cartoned. Cartoned shipments are packaged

other similar causes that are not within Geiger's shipments. Blanket wrapping is available upon

If Customer requests special shipping or delivery methods, Customer is responsible for any extra costs that result.

Packaging and Shipping (continued)

shipment from Geiger's plant. Geiger reserves the right to make partial shipments, of truckload

Shipping Surcharge

ders under \$100.000 list based on the ship-to address. The surcharge is a percentage of the total list price of the entire order, calculated on the base price only. Upcharges for veneer,

MN, MO, ND, NE, SD, DC, MD, VA)

Zone 4 5.4% (CT, MA, ME, NH, RI, VT,

DE, NJ, NY, PA, WV)

Zone 5 6.0% (OK, TX, AZ, NM, NV, UT, CO)

6.6% (OR, WA, ID, MT WY, CA, Canada)

International Shipping

Orders for export are shipped Ex Works factory (Incoterms 2000). The charge for export packing is five percent of the net order value. There are no export packing charges on shipments to Canada.

Claims

All blanket wrapped shipments must be unwrapped and inspected at the dock, in the presence of the driver. Claims for "concealed damage" or "subject to inspection" will not be honored on blanket wrapped shipments.All cartoned shipments must be inspected for visual outside damage to the package.

Damages and piece count shortages must be noted on the bill of lading. Freight claims must be filed within 30 days (including cartoned shipments with concealed damage). Contact Customer Care for a warranty/freight claim form and send it by fax, mail or email to:

Geiger International 6095 Fulton Industrial Blvd., SW Atlanta, GA 30336-2806 Attention: Warranty Department Fax: 1.404.836.7519

Order Information

Herman Miller dealers must submit all purchase orders to Geiger via Omni. For assistance with this process, please contact Herman Miller Sales Technology Support at 800.833.3330.

All Geiger Gallery and non-Herman Miller dealers may submit their orders via email or fax at 404.836.7519. For assistance with this

General Information

Limitations and Disclaimers Design Rights

Order Information (continued)

process, please contact Geiger Customer Care to, open-line laminates. at 800.456.6452.

Midwest custcaremw@geigerfurniture.com New York custcareny@geigerfurniture.com Northeast South custcaresouth@geigerfurniture.com West custcarewest@geigerfurniture.com Int'l

Warranty

Geiger International, Inc. ("Geiger"), 6095 Fulton Industrial Blvd., SW, Atlanta, GA 30336-2806, USA, warrants the products sold by it to be free from defects in material and workmanship, regardless of the number of shifts during which the products are used, for the warranty periods specified below.

This warranty covers the sale of Geiger product in all countries. Not all of the product lines appearing on this list are marketed by Geiger in all countries, and appearance on this list does not imply an offer for sale of a product line in a particular place. Product line availability is defined in current price lists applicable to different regions.

Geiger Commercial Office Furniture Products 12 years

All products sold under the Geiger® brand name, except as limited or described below.

Textiles and Leathers

3 years

Includes, but is not limited to Edelman Leather, Geiger, Herman Miller, Maharam, and Place fabrics

Nonstandard Products 1 to 5 years

Warranty length on nonstandard products not covered by the 12-year warranty is identified on individual product quotes.

All Other Products, Parts, and Services 2 vears

Height adjustable bases (electrical parts)

Height adjustable bases (mechanical parts) Task light electronic ballasts

3 years

All service parts

6 months

All other products, parts, and any services not listed above, sold or furnished by Geiger, except for consumable products such as light bulbs and other electronic products for which no warranty is given

Other Manufacturers' Products

Geiger will pass through to the original purchaser any warranty supplied by other manufacturers to the extent possible, including, but not limited

Warranty (continued)

Provisions that apply to all products and

custcarene@geigerfurniture.com During the applicable warranty period, Geiger, as its sole obligation, will repair or replace (at its option) any product, part, or component covered custcareintl@geigerfurniture.com by this warranty and sold after the effective date of this warranty, which fails under normal use as a result of a defect in material or workmanship; Geiger will repair or replace the aforementioned ARE DISCLAIMED AND TO THE EXTENT product, part, or component with a comparable product, part, or component.

> This warranty extends only to the original purchasers who acquire new product from Geiger, or its authorized resellers. Any product, part, or component must have been installed, used, and maintained according to Geiger's published instructions in order to be eligible for coverage under this warranty and must not have been subject to misuse or abuse. Any modification to the original product voids the warranty. Geiger does not warrant the performance of the product when used in combination with other than original Geiger product.

The warranty period starts from the date of

This document inclusively describes all of the warranties given and remedies available with respect to the company's products and services. express or implied, statutory or otherwise, in relation to the products.

Geiger does not warrant:

- natural variations in wood grain or figure or the presence of character marks
- changes in surface finishes due to aging or exposure to light
- marks, scars, or wrinkles occurring naturally in leather
- veins, marks, voids, fissures, or cracks found naturally in stone

In addition, Geiger does not warrant:

- failure resulting from normal wear and tear
- natural materials
- the colorfastness or the matching of colors of textiles, including an exact match to cuttings or to swatch cards
- surfaces due to contact with rubber or similar compounds; damage from sharp objects or imprinting from writing instruments, or prolonged exposure to direct sunlight

Geiger tests Customer's Own Material (COM) and other customer-supplied items for manufacturing quality only and does not provide any warranty with regard to these materials.

Geiger does not warrant products that are

Warranty (continued)

exposed to extreme environmental conditions or that have been subject to improper storage.

Geiger's products meet the requirements of national and specific local codes as stated in the price books and other written publications.

TO THE EXTENT ALLOWED BY LAW, ANY IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, THEY ARE LEGALLY REQUIRED, ARE LIMITED IN DURATION TO THE DURATION OF THIS WRITTEN WARRANTY.

GEIGER SHALL NOT BE LIABLE FOR LOSS OF TIME, INCONVENIENCE, **COMMERCIAL LOSS, OR INCIDENTAL OR CONSEQUENTIAL DAMAGES.**

Applies in US only: Some states do not allow limitations on how long an implied warranty lasts or do not allow the exclusion or limitation of incidental or consequential damages, so the limitations or exclusions in the two preceding paragraphs may not apply. This warranty gives the purchaser specific legal rights; however, the purchaser may also have other rights that may vary from state to state.

Applies outside US: Except as stated above, Geiger will not be liable for any loss or damage (including costs) however caused, whether direct or consequential, incurred or suffered by Geiger disclaims any other warranty whether the purchaser or any third party in respect of the products but nothing contained herein will or will be considered to exclude or restrict any liability on Geiger's part for death or personal injury resulting from negligence.

Limitations and Disclaimers

Geiger is not liable for loss of time, inconvenience, lost profits, commercial loss, or other special, consequential, or incidental damages for any transaction.

Geiger reserves the right to change its designs, its methods of construction, or its prices, charges, the matching of colors, grains, or textures of or policies at any time without notice to Customer.

Design Rights

damage, marking, or staining of veneer The designs depicted in Geiger's catalogs and price lists are proprietary to Geiger and Geiger reserves the exclusive right to manufacture them. Any reproduction of these designs infringes Geiger's rights and that infringement will be prosecuted.

How To Specify

GEIGER

How to Specify

- For each product ordered, specify a product number string. The string should include the product number and all finish and detail codes listed at the bottom of the pricebook page.
- Specify the finishes and details in the same sequence shown on the pricebook page.
- Product Number String Example:
 The product number string above includes all required codes for a Drum series table with the following specifications:

Product Number
Wood Finish.......943 Caramel Cherry

 Basic Price reflects the price of the table without optional features. Add upcharges as shown on the product page or option page for anigre wood finishes, solid edge detail, etched glass, leg trim or marquetry. There is no upcharge for anigre base or leg finishes.

Conference Tables

Inlay • Laminates

Laminates

Laminate Finishes For Peer tables

| I54 | Folkstone Grey (HMI code 8Q) |
|-----|---------------------------------|
| I60 | Soft White (HMI code LU) |
| l65 | Chalk White (HMI code X1) |
| I73 | Black Umber (HMI code BU) |
| I74 | Inner Tone Light (HMI code HF) |
| l75 | Light Tone (HMI code LT) |
| I76 | Medium Tone (HMI code MT) |
| 177 | Cool Grey Neutral (HMI code CL) |
| I78 | Inner Tone (HMI code HT) |
| l81 | Warm Grey Neutral (HMI code WN) |
| l84 | White (HMI code 91) |
| l92 | Studio White (HMI code 98) |

Conference Tables

Module Types

| Module Types | |
|---|---|
| For Peer tabletop power module, 120" cord with 3-prong plug, qty (2) (no upcharge) | Notes |
| PTPLG2 power/2 data PSPLG2 power/1 data/1 USB | All power modules are clear anodized aluminum. Tabletop power modules include two simplex |
| For Peer tabletop power module, qty (1) 120" cord with 3-prong plug, and qty (1) 168" cord with 3-prong plug (add +\$42 upcharge) | outlets and either two voice/data openings or one voice/data opening and one dual charging USB port. |
| PTPLL2 power/2 data PSPLL2 power/1 data/1 USB | All tabletop power modules include a voice/ data adapter kit which includes a set of 14 small windows that snap into the voice/data |
| For Peer tabletop power module, hardwire, qty (2) 72" whip (add +\$63 upcharge) | opening and accept different types of jacks, connectors, and couplers. |
| PTHDW2 power/2 data PSHDW2 power/1 data/1 USB | Under-table power modules include three simplex outlets, two voice/data openings, and a voice/data adapter kit. |
| For Peer tabletop power module, hardwire, qty (1) 72" whip and qty (1) 168" whip (add +\$104 upcharge) | Connectors and jacks are the responsibility of the customer's phone, AV, or IT contractor. |
| PTHDL2 power/2 data PSHDL2 power/1 data/1 USB | Provision of the building power and hardwire connections are the responsibility of the customer's electrician. |
| For Peer tabletop power module, Chicago hardwire, qty (2) 15" whip (add +\$312 upcharge) | The Chicago tabletop and under-table power modules include 15" of conduit and a 4" x 4" |
| PTCHI2 power/2 data PSCHI2 power/1 data/1 USB | junction box. |

For Peer under-table power module

PUPLG3-Prong Plug, qty (1) 120" cord, (no upcharge)
PUPLL3-Prong Plug, qty (1) 168" cord (+\$42 upcharge)
PUHDW Hardwire, qty (1) 72" whip (+\$63 upcharge)
PUHDX Hardwire, qty (1) 120" whip (+\$104 upcharge)
PUHDL Hardwire, qty (1) 168" whip (+\$146 upcharge)
PUCHI Chicago Hardwire, qty (1) 15" whip (+\$63 upcharge)

How to Specify Power Modules

Specify *under-table* power module type based on location of building power (under one leg or two legs) and power module installation location (left, center or right).

Specify *tabletop* power module type based on location of building power and table size.

For tabletop power modules and building power under one leg

| 72W x 30H 72W x 41.5H | , | , | , | , | |
|----------------------------|-----|---|-----|---|--|
| 96W x 30H 96W x 41.5H | - , | , | - , | , | |
| 120W x 30H 120W x 41.5H | , | , | , | , | |

For tabletop power modules and building power under two legs

All Table Sizes......PTPLG, PTHDW, PSPLG, PSHDW, or PTCHI

Wood Finishes

GEIGER

| Wood | Finishes | | | | | | | | |
|------------|-------------------------------------|------------------------|----------------------|-----------------|---------------------|---------|----------|----------|-------|
| | | Drum (with Solid Edge) | Drum (with T50 Edge) | Peer (All Wood) | Peer (Laminate Top) | | Veneer | Solid | |
| Code | Description | ۵ | ۵ | ۵ | ď | Cut | Species | Species | Match |
| 662 | Toasted Walnut, matte | • | • | • | • | flat | walnut | walnut | book |
| 663 | Charred Walnut, matte | • | • | • | • | flat | walnut | walnut | book |
| 664 | Bronzed Walnut, matte | • | • | • | • | flat | walnut | walnut | book |
| 665 | Smoked Walnut, matte | • | • | • | • | flat | walnut | walnut | book |
| 666 | Coffee Walnut, matte | • | • | • | • | flat | walnut | walnut | book |
| 667 | Smoked Paldao, matte | 15% | 15% | 15% | 10% | quarter | paldao | walnut | slip |
| 668 | Figured Sycamore, matte | 40% | 40% | 40% | 35% | quarter | sycamore | maple | slip |
| 669 | Warm Paldao, matte | 15% | 15% | 15% | 10% | quarter | paldao | walnut | slip |
| 677 | Chocolate Ash, matte | • | • | • | • | flat | ash | ash | book |
| 678 | Natural Oak, matte | • | • | • | • | flat | oak | oak | book |
| 68R | RecoGrain Rosewood, matte | | • | • | • | flat | rosewood | none | slip |
| 68W | RecoGrain Walnut, matte | | -5% | -5% | -4% | flat | walnut | none | slip |
| 69A | RecoGrain Frosty Ash, matte | | • | • | • | quarter | ash | none | slip |
| 69K | RecoGrain Oak, matte | | -5% | -5% | -4% | quarter | oak | none | slip |
| 69R | RecoGrain Rosewood, matte | | • | • | • | quarter | rosewood | none | slip |
| 69T | RecoGrain Teak, matte | | • | • | • | quarter | teak | none | slip |
| 69W | RecoGrain Walnut, matte | | -5% | -5% | -4% | quarter | walnut | none | slip |
| 6A1 | White Ash, matte | • | • | • | • | quarter | ash | ash | slip |
| 6K1 | Rift Oak, matte | • | • | • | • | rift | oak | oak | slip |
| 6K6 | Burnt Oak, matte | • | • | • | • | rift | oak | oak | slip |
| 911 | Champagne Maple, low sheen | • | • | • | • | flat | maple | maple | book |
| 940 | Sundance Cherry on Maple, low sheen | • | • | • | • | flat | maple | maple | book |
| 941 | Natural Beech, low sheen | • | • | • | • | flat | beech | beech | book |
| 942 | Sundance Cherry, low sheen | • | • | • | • | flat | cherry | cherry | book |
| 943 | Caramel Cherry, low sheen | • | • | • | • | flat | cherry | cherry | book |
| 946 | Cocoa Cherry, low sheen | • | • | • | • | flat | cherry | cherry | book |
| 951 | Natural Anigre, low sheen | 40% | 40% | 40% | 35% | quarter | anigre | maple | slip |
| 956 | Cocoa Sapele, low sheen | • | • | • | • | quarter | sapele | mahogany | slip |
| 962 | Toasted Walnut, low sheen | • | • | • | • | flat | walnut | walnut | book |
| 963 | Charred Walnut, low sheen | • | • | • | • | flat | walnut | walnut | book |
| 964 | Bronzed Walnut, low sheen | • | | • | • | flat | walnut | walnut | book |
| 965 | Smoked Walnut, low sheen | • | • | • | • | flat | walnut | walnut | book |
| 966 | Coffee Walnut, low sheen | | • | • | • | flat | walnut | walnut | book |
| 967 | Smoked Paldao, low sheen | 15% | 15% | 15% | 10% | quarter | paldao | walnut | slip |
| 968 | Figured Sycamore, low sheen | 40% | 40% | 40% | 35% | quarter | sycamore | maple | slip |
| 969 | Warm Paldao, low sheen | 15% | 15% | 15% | 10% | quarter | paldao | walnut | slip |
| 977 | Chocolate Ash, low sheen | • | • | • | • | flat | ash | ash | book |
| 978 | Natural Oak, low sheen | • | • | • | • | flat | oak | oak | book |
| 981 | Champagne Hickory, low sheen | • | • | • | • | flat | hickory | oak | book |
| 991 | Champagne Ash, low sheen | • | • | • | • | flat | ash | ash | book |
| 998 | Ebony Ash, low sheen | • | • | • | • | flat | | | |
| 998 98R | RecoGrain Rosewood, low sheen | • | • | • | • | flat | ash | ash | book |
| | • | | | | | | rosewood | none | slip |
| 98W | RecoGrain Walnut, low sheen | | -5% | -5% | -4% | flat | walnut | none | slip |



Wood Finishes

| Wood | Finishes | | | | | | | | |
|------|---------------------------------|------------------------|----------------------|-----------------|---------------------|---------|-------------------|------------------|-------|
| Code | Description | Drum (with Solid Edge) | Drum (with T50 Edge) | Peer (All Wood) | Peer (Laminate Top) | Cut | Veneer Species | Solid Species | Match |
| 99A | RecoGrain Frosty Ash, low sheen | | • | • | • | quarter | ash | none | slip |
| 99K | RecoGrain Oak, low sheen | | -5% | -5% | -4% | quarter | oak | none | slip |
| 99R | RecoGrain Rosewood, low sheen | | • | • | • | quarter | rosewood | none | slip |
| 99T | RecoGrain Teak, low sheen | | • | • | • | quarter | teak | none | slip |
| 99W | RecoGrain Walnut, low sheen | | -5% | -5% | -4% | quarter | walnut | none | slip |
| 9A1 | White Ash, low sheen | • | • | • | • | quarter | ash | ash | slip |
| 9K1 | Rift Oak, low sheen | • | • | • | • | rift | oak | oak | slip |
| 9K6 | Burnt Oak, low sheen | • | • | • | • | rift | oak | oak | slip |
| ED | Aged Cherry, low sheen | • | • | • | • | flat | cherry | cherry | book |
| EK | Medium Red Walnut, low sheen | • | • | • | • | flat | walnut | walnut | book |
| ET | RecoGrain Natural Ash, matte | | • | • | • | quarter | ash | none | slip |
| EU | RecoGrain Oak, matte | | • | • | • | quarter | oak | none | slip |
| EV | RecoGrain Walnut, matte | | • | • | • | quarter | walnut | none | slip |
| G2U | Light Brown Walnut, low sheen | • | • | • | • | flat | walnut | walnut | book |
| G40 | Dark Brown Walnut, low sheen | • | • | • | • | flat | walnut | walnut | book |
| UX | Walnut On Cherry, low sheen | • | • | • | • | flat | cherry | cherry | book |

Notes

Most natural wood finishes are unstained to maintain the natural beauty and clarity of the wood. When the veneer and solid wood species are not the same the veneer and solid may differ in color and graining. When a stained wood finish is specified, the solid wood edges are stained to match the veneer top as closely as possible.


Special finish colors may be developed for orders over \$200,000 list upon request at no additional charge. A one time set-up fee of \$250 net will be charged on orders under \$200,000 list for each special finish. In order to protect the quality and durability of Geiger's finish, the chemical composition of the staining materials, water-base sealers, and urethane top coats will not be altered for special finishes.

Exotic veneers such as pearwood, bird's eye maple and sycamore are available upon request, at additional cost.


For further information and procedures for special finishes or exotic veneers, contact your Geiger sales representative.

Peer Tables Product Features





Note: Peer desktop and under table power modules are approved for use in the United States. For international use, tables (Al3E_) can be specified that include two appropriate sized cutouts at either end of the table to accept two Pivot 25 power modules from Office Electrics. These power modules are not supplied by Geiger, but can be purchased from Office Electrics. Please go to http://www.office-electrics.com/en/pivot.html for details.



Conference Tables

Peer Tables • Under-table Power Module

| | Product Number | Depth | Width | Height | Basic Price |
|------------------------------------|----------------|-------|-------|--------|----------------|
| Peer • Under-Table Power Module | Al3UP-P | 3 | 12 | 3 | \$741 |



(shown with cord and three-prong plug)

Under-table power module is anodized aluminum and includes three power receptacles and two voice/data knockouts

All tables except tables with cutouts for European power include inserts to accept an under-table power module in left, center and/or right positions

Under-table power module is available with cord and three-prong plug, hardwired, or hardwired for use in Chicago

Add upcharge shown on option page for hardwired and Chicago modules

Peer Tables • Desk Height • All Wood



| | Product Number | Depth | Width | Height | Shelf Depth | Basic Price | |
|-----------------------------|----------------|-------|-------|---------|----------------|----------------|--|
| Peer • Desk Height | AI3NW-207230 | 20 | 72 | 30 | 11 7/8 | \$9,692 | |
| Plain Top • All Wood | AI3NW-209630 | 20 | 96 | 30 | 11 7/8 | \$10,106 | |
| for use against a wall | AI3NW-2012030 | 20 | 120 | 30 | 11 7/8 | \$10,458 | |
| | | | | | | | |
| Peer • Desk Height | AI3NF-207230 | 20 | 72 | 30 | 6 | \$10,253 | |
| Plain Top • All Wood | AI3NF-209630 | 20 | 96 | 30 | 6 | \$10,653 | |
| freestanding | Al3NF-2012030 | 20 | 120 | 30 | 6 | \$11,052 | |
| | AI3NF-367230 | 36 | 72 | 30 | 10 | \$11,249 | |
| | AI3NF-369630 | 36 | 96 | 30 | 10 | \$11,889 | |
| | Al3NF-3612030 | 36 | 120 | 30 | 10 | \$12,546 | |
| | AI3NF-407230 | 40 | 72 | 30 | 12 | \$11,614 | |
| 4- | AI3NF-409630 | 40 | 96 | 30 | 12 | \$12,560 | |
| | Al3NF-4012030 | 40 | 120 | 30 | 12 | \$13,336 | |
| Peer • Desk Height | Al3PF-367230 | 36 | 72 | 30 | 10 | \$12,813 | |
| With Tabletop Power Modules | AI3PF-369630 | 36 | 96 | 30 | 10 | \$13,460 | |
| All Wood freestanding | Al3PF-3612030 | 36 | 120 | 30 | 10 | \$14,291 | |
| \sim | Al3PF-407230 | 40 | 72 | 30 | 12 | \$14,040 | |
| • | AI3PF-409630 | 40 | 96 | 30 | 12 | \$14,148 | |
| | Al3PF-4012030 | 40 | 120 | 30 | 12 | \$15,074 | |
| Peer • Desk Height | Al3EF-367230 | 36 | 72 | 30 | 10 | \$12,813 | |
| Cutouts for European Power | AI3EF-369630 | 36 | 96 | 30 | 10 | \$13,460 | |
| All Wood freestanding | Al3EF-3612030 | 36 | 120 | 30 | 10 | \$14,291 | |
| | Al3EF-407230 | 40 | 72 | 30 | 12 | \$14,040 | |
| *> | Al3EF-409630 | 40 | 96 | 30 | 12 | \$14,148 | |
| | Al3EF-4012030 | 40 | 120 | 30 | 12 | \$15,074 | |
| <u> </u> | | | | <u></u> | | | |

Geiger, but can be purchased from Office Electrics. Please go to http://www.oeelectrics.com/en/pivot for details.

Specify

Module (for powered tables only)

Al3P tables include two flip-up tabletop power modules; modules are anodized aluminum. See Module Types option page for option pricing, power module configurations and wiring options. All tables except tables with cutouts for European power include inserts to accept an under-table power module in left, center and/or right positions; specify separately.

Note: accepts two Pivot 25 power modules from Office Electrics. These power modules are not supplied by

Note: inside width clearance is total table width less 9 1/8". Height under table is 25 1/2".

Peer Tables • Standing Height • All Wood

| | | | | | Shelf | Basic | |
|-----------------------------|----------------|-------|-------|--------|--------|----------|--|
| | Product Number | Depth | Width | Height | Depth | Price | |
| Peer • Standing Height | AI3NW-207242 | 20 | 72 | 41 1/2 | 11 7/8 | \$10,559 | |
| Plain Top • All Wood | AI3NW-209642 | 20 | 96 | 41 1/2 | 11 7/8 | \$11,021 | |
| for use against a wall | AI3NW-2012042 | 20 | 120 | 41 1/2 | 11 7/8 | \$11,537 | |
| | | | | | | | |
| Peer • Standing Height | AI3NF-207242 | 20 | 72 | 41 1/2 | 6 | \$10,896 | |
| Plain Top • All Wood | Al3NF-209642 | 20 | 96 | 41 1/2 | 6 | \$11,302 | |
| freestanding | AI3NF-2012042 | 20 | 120 | 41 1/2 | 6 | \$11,693 | |
| | | | | | | | |
| | AI3NF-367242 | 36 | 72 | 41 1/2 | 10 | \$12,107 | |
| | Al3NF-369642 | 36 | 96 | 41 1/2 | 10 | \$12,897 | |
| | Al3NF-3612042 | 36 | 120 | 41 1/2 | 10 | \$13,655 | |
| | AI3NF-407242 | 40 | 72 | 41 1/2 | 12 | \$12,953 | |
| | AI3NF-409642 | 40 | 96 | 41 1/2 | 12 | \$12,999 | |
| | AI3NF-4012042 | 40 | 120 | 41 1/2 | 12 | \$14,673 | |
| | | | | | | | |
| Peer • Standing Height | Al3PF-367242 | 36 | 72 | 41 1/2 | 10 | \$13,694 | |
| With Tabletop Power Modules | Al3PF-369642 | 36 | 96 | 41 1/2 | 10 | \$14,487 | |
| All Wood | AI3PF-3612042 | 36 | 120 | 41 1/2 | 10 | \$15,402 | |
| 1 | | | | | | | |
| *** | Al3PF-407242 | 40 | 72 | 41 1/2 | 12 | \$15,376 | |
| | Al3PF-409642 | 40 | 96 | 41 1/2 | 12 | \$15,495 | |
| | AI3PF-4012042 | 40 | 120 | 41 1/2 | 12 | \$16,419 | |
| Peer • Standing Height | Al3EF-367242 | 36 | 72 | 41 1/2 | 10 | \$13,694 | |
| Cutouts for European Power | Al3EF-369642 | 36 | 96 | 41 1/2 | 10 | \$14,487 | |
| All Wood freestanding | AI3EF-3612042 | 36 | 120 | 41 1/2 | 10 | \$15,402 | |
| | AI3EF-407242 | 40 | 72 | 41 1/2 | 12 | \$15,376 | |
| | AI3EF-409642 | 40 | 96 | 41 1/2 | 12 | \$15,495 | |
| | Al3EF-4012042 | 40 | 120 | 41 1/2 | 12 | \$16,419 | |



Wood

Module (for powered tables only)

Al3P tables include two flip-up tabletop power modules; modules are anodized aluminum. See Module Types option page for option pricing, power module configurations and wiring options. All tables except tables with cutouts for European power include inserts to accept an under-table power module in left, center and/or right positions; specify separately.

Note: accepts two Pivot 25 power modules from Office Electrics. These power modules are not supplied by

Note: inside width clearance is total table width less 9 1/8". Height under table is 37".

Geiger, but can be purchased from Office Electrics. Please go to http://www.oeelectrics.com/en/pivot for details.

Peer Tables • Desk Height • Laminate Top With Wood Subtop



| | Product Number | Depth | Width | Height | Shelf Depth | Basic Price | |
|----------------------------------|-----------------------|-------|-------|----------------|----------------|----------------------|-------------|
| Peer • Desk Height | AIWWL-207230 | 20 | 72 | 30 | 11 7/8 | \$8,884 | |
| Plain Top • Laminate Top with | AIWWL-209630 | 20 | 96 | 30 | 11 7/8 | \$9,264 | |
| Wood Subtop | AIWWL-2012030 | 20 | 120 | 30 | 11 7/8 | \$9,587 | |
| for use against a wall | AITTTL-2012000 | 20 | 120 | 30 | 11 770 | ψ5,501 | |
| | | | | | | | |
| Peer • Desk Height | AINWL-207230 | 20 | 72 | 30 | 6 | \$9,399 | |
| Plain Top • Laminate Top with | AINWL-209630 | 20 | 96 | 30 | 6 | \$9,765 | |
| Wood Subtop | AINWL-2012030 | 20 | 120 | 30 | 6 | \$10,131 | |
| freestanding | | | | - - | - | , | |
| | AINWL-367230 | 36 | 72 | 30 | 10 | \$10,312 | |
| | AINWL-369630 | 36 | 96 | 30 | 10 | \$10,898 | |
| | AINWL-3612030 | 36 | 120 | 30 | 10 | \$11,501 | |
| " | 7VII 0012000 | 00 | 120 | 00 | | | |
| L II | AINWL-407230 | 40 | 72 | 30 | 12 | \$10,646 | |
| h | AINWL-409630 | 40 | 96 | 30 | 12 | \$11,513 | |
| | AINWL-4012030 | 40 | 120 | 30 | 12 | \$12,225 | |
| Peer • Desk Height | AIPWL-367230 | 36 | 72 | 30 | 10 | \$11,745 | |
| With Tabletop Power Modules | AIPWL-369630 | 36 | 96 | 30 | 10 | \$12,338 | |
| Laminate Top with Wood Subtop | AIPWL-3612030 | 36 | 120 | 30 | 10 | \$13,100 | |
| freestanding | AIPWL-407230 | 40 | 72 | 30 | 12 | \$12,870 | |
| | AIPWL-409630 | 40 | 96 | 30 | 12 | \$12,870 | |
| | AIPWL-4012030 | 40 | 120 | 30 | 12 | \$12,909 \$13,818 | |
| | AIF WL-4012030 | 40 | 120 | 30 | 12 | φ13,010 | |
| Peer • Desk Height | AI3EW-367230 | 36 | 72 | 30 | 10 | \$11,745 | |
| Cutouts for European Power | AI3EW-369630 | 36 | 96 | 30 | 10 | \$12,338 | |
| Laminate Top with Wood Subtop | AI3EW-3612030 | 36 | 120 | 30 | 10 | \$13,100 | |
| reestanding | AI3EW-407230 | 40 | 72 | 30 | 12 | \$12,870 | |
| • | AI3EW-409630 | 40 | 96 | 30 | 12 | \$12,969 | |
| | Al3EW-4012030 | 40 | 120 | 30 | 12 | \$13,818 | |
| | Note: accepts two Piv | | | | These powe | r modules are no | ot supplied |

Specify

Wood Module (for powered tables only) Laminate AIPWL tables include two flip-up tabletop power modules; modules are anodized aluminum. See Module Types option page for option pricing, power module configurations and wiring options. All tables except tables with cutouts for European power include inserts to accept an under-table power module in left, center and/or right positions; specify separately.

Inside width clearance is total table width less 9 1/8". Height under table is 25 1/2".

Geiger, but can be purchased from Office Electrics. Please go to http://www.oeelectrics.com/en/pivot for details.

Conference Tables

Peer Tables • Standing Height • Laminate Top With Wood Subtop

| | Product Number | Depth | Width | Height | Shelf Depth | Basic Price | | | |
|-------------------------------|---|-------|-------|--------|----------------|----------------------|--|--|--|
| Peer • Standing Height | AIWWL-207242 | 20 | 72 | 41 1/2 | 11 7/8 | \$9,679 | | | |
| Plain Top • Laminate Top with | AIWWL-207242 | 20 | 96 | 41 1/2 | 11 7/8 | \$10,103 | | | |
| Wood Subtop | AIWWL-2012042 | 20 | 120 | 41 1/2 | 11 7/8 | \$10,103 \$10,576 | | | |
| for use against a wall | AIVVVL-2012042 | 20 | 120 | 41 1/2 | 11 7/0 | \$10,576 | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Peer • Standing Height | AINWL-207242 | 20 | 72 | 41 1/2 | 6 | \$9,988 | | | |
| Plain Top • Laminate Top with | AINWL-209642 | 20 | 96 | 41 1/2 | 6 | \$10,031 | | | |
| Wood Subtop | AINWL-2012042 | 20 | 120 | 41 1/2 | 6 | \$10,378 | | | |
| freestanding | | | | | · | + , 5 . 5 | | | |
| | AINWL-367242 | 36 | 72 | 41 1/2 | 10 | \$10,745 | | | |
| | AINWL-369642 | 36 | 96 | 41 1/2 | 10 | \$11,446 | | | |
| | AINWL-3612042 | 36 | 120 | 41 1/2 | 10 | \$12,119 | | | |
| | | | | | | | | | |
| | AINWL-407242 | 40 | 72 | 41 1/2 | 12 | \$11,496 | | | |
| └ | AINWL-409642 | 40 | 96 | 41 1/2 | 12 | \$11,537 | | | |
| 4 | AINWL-4012042 | 40 | 120 | 41 1/2 | 12 | \$13,022 | | | |
| Peer • Standing Height | AIPWL-367242 | 36 | 72 | 41 1/2 | 10 | \$12,553 | | | |
| With Tabletop Power Modules | AIPWL-369642 | 36 | 96 | 41 1/2 | 10 | \$13,280 | | | |
| Laminate Top with Wood | AIPWL-3612042 | 36 | 120 | 41 1/2 | 10 | \$14,119 | | | |
| Subtop freestanding | | | | | | | | | |
| - Costanding | AIPWL-407242 | 40 | 72 | 41 1/2 | 12 | \$14,095 | | | |
| • | AIPWL-409642 | 40 | 96 | 41 1/2 | 12 | \$14,204 | | | |
| | AIPWL-4012042 | 40 | 120 | 41 1/2 | 12 | \$15,051 | | | |
| | | | | | | | | | |
| Peer • Standing Height | AI3EW-367242 | 36 | 72 | 41 1/2 | 10 | \$12,553 | | | |
| Cutouts for European Power | AI3EW-369642 | 36 | 96 | 41 1/2 | 10 | \$13,280 | | | |
| Laminate Top with Wood Subtop | Al3EW-3612042 | 36 | 120 | 41 1/2 | 10 | \$14,119 | | | |
| " | AI3EW-407242 | 40 | 72 | 41 1/2 | 12 | \$14,095 | | | |
| | AI3EW-409642 | 40 | 96 | 41 1/2 | 12 | \$14,204 | | | |
| | AI3EW-4012042 | 40 | 120 | 41 1/2 | 12 | \$15,051 | | | |
| | Note: accepts two Pivot 25 power modules from Office Electrics. These power modules are not supplied by | | | | | | | | |

Specify

Wood Module (for powered tables only) Laminate Al3P tables include two flip-up tabletop power modules; modules are anodized aluminum. See Module Types option page for option pricing, power module configurations and wiring options. All tables except tables with cutouts for European power include inserts to accept an under-table power module in left, center and/or right positions; specify separately.

Inside width clearance is total table width less 9 1/8". Height under table is 37".

Geiger, but can be purchased from Office Electrics. Please go to http://www.oeelectrics.com/en/pivot for details.

Peer Tables • Desk Height • All Laminate



| | | | | | Shelf | Basic | |
|------------------------------|----------------|-------|-------|--------|--------|----------|--|
| | Product Number | Depth | Width | Height | Depth | Price | |
| Peer • Desk Height | AI3WL-207230 | 20 | 72 | 30 | 11 7/8 | \$8,601 | |
| Plain Top • All Laminate | AI3WL-209630 | 20 | 96 | 30 | 11 7/8 | \$8,969 | |
| for use against a wall | AI3WL-2012030 | 20 | 120 | 30 | 11 7/8 | \$9,282 | |
| | | | | | | | |
| Peer • Desk Height | AI3NL-207230 | 20 | 72 | 30 | 6 | \$9,100 | |
| Plain Top • All Laminate | AI3NL-209630 | 20 | 96 | 30 | 6 | \$9,455 | |
| freestanding | AI3NL-2012030 | 20 | 120 | 30 | 6 | \$9,809 | |
| | AI3NL-367230 | 36 | 72 | 30 | 10 | \$9,984 | |
| | AI3NL-369630 | 36 | 96 | 30 | 10 | \$10,551 | |
| | Al3NL-3612030 | 36 | 120 | 30 | 10 | \$11,135 | |
| | AI3NL-407230 | 40 | 72 | 30 | 12 | \$10,308 | |
| | AI3NL-409630 | 40 | 96 | 30 | 12 | \$11,147 | |
| • | AI3NL-4012030 | 40 | 120 | 30 | 12 | \$11,836 | |
| Peer • Desk Height | Al3PL-367230 | 36 | 72 | 30 | 10 | \$11,372 | |
| With Tabletop Power Modules | AI3PL-369630 | 36 | 96 | 30 | 10 | \$11,946 | |
| All Laminate freestanding | Al3PL-3612030 | 36 | 120 | 30 | 10 | \$12,684 | |
| | AI3PL-407230 | 40 | 72 | 30 | 12 | \$12,461 | |
| | AI3PL-409630 | 40 | 96 | 30 | 12 | \$12,557 | |
| | AI3PL-4012030 | 40 | 120 | 30 | 12 | \$13,378 | |
| Peer • Desk Height | Al3EL-367230 | 36 | 72 | 30 | 10 | \$11,372 | |
| Cutouts for European Power | AI3EL-369630 | 36 | 96 | 30 | 10 | \$11,946 | |
| All Laminate freestanding | Al3EL-3612030 | 36 | 120 | 30 | 10 | \$12,674 | |
| | Al3EL-407230 | 40 | 72 | 30 | 12 | \$12,461 | |
| *> | Al3EL-409630 | 40 | 96 | 30 | 12 | \$12,557 | |
| | Al3EL-4012030 | 40 | 120 | 30 | 12 | \$13,378 | |
| \ | | | | | | | |

Note: accepts two Pivot 25 power modules from Office Electrics. These power modules are not supplied by Geiger, but can be purchased from Office Electrics.

Please go to http://www.oeelectrics.com/en/pivot for details.

Specify

Module (for powered tables only) Laminate

Al3P tables include two flip-up tabletop power modules; modules are anodized aluminum. See Module Types option page for option pricing, power module configurations and wiring options. All tables except tables with cutouts for European power include inserts to accept an under-table power module in left, center and/or right positions; specify separately. Inside width clearance is total table width less 9 1/8". Height under table is 25 1/2".

Peer Tables • Standing Height • All Laminate

| | Product Number | Depth | Width | Height | Shelf Depth | Basic Price | |
|-----------------------------|----------------|-------|-------|--------|----------------|----------------|--|
| Peer • Standing Height | AI3WL-207242 | 20 | 72 | 41 1/2 | 11 7/8 | \$9,371 | |
| Plain Top • All Laminate | Al3WL-209642 | 20 | 96 | 41 1/2 | 11 7/8 | \$9,781 | |
| for use against a wall | AI3WL-2012042 | 20 | 120 | 41 1/2 | 11 7/8 | \$10,239 | |
| | | | | | | ¥10,200 | |
| Peer • Standing Height | AI3NL-207242 | 20 | 72 | 41 1/2 | 6 | \$9,671 | |
| Plain Top • All Laminate | AI3NL-209642 | 20 | 96 | 41 1/2 | 6 | \$10,031 | |
| freestanding | AI3NL-2012042 | 20 | 120 | 41 1/2 | 6 | \$10,378 | |
| ~ | | 20 | 120 | 1/2 | J | ψ.0,070 | |
| | AI3NL-367242 | 36 | 72 | 41 1/2 | 10 | \$10,745 | |
| | AI3NL-369642 | 36 | 96 | 41 1/2 | 10 | \$11,446 | |
| | AI3NL-3612042 | 36 | 120 | 41 1/2 | 10 | \$12,119 | |
| | AI3NL-407242 | 40 | 72 | 41 1/2 | 12 | \$11,496 | |
| | AI3NL-409642 | 40 | 96 | 41 1/2 | 12 | \$11,537 | |
| h | AI3NL-4012042 | 40 | 120 | 41 1/2 | 12 | \$13,022 | |
| | AIGHE 4012042 | 40 | 120 | 71 1/2 | 12 | Ψ10,022 | |
| Peer • Standing Height | Al3PL-367242 | 36 | 72 | 41 1/2 | 10 | \$12,153 | |
| With Tabletop Power Modules | AI3PL-369642 | 36 | 96 | 41 1/2 | 10 | \$12,857 | |
| All Laminate freestanding | AI3PL-3612042 | 36 | 120 | 41 1/2 | 10 | \$13,670 | |
| • | Al3PL-407242 | 40 | 72 | 41 1/2 | 12 | \$13,646 | |
| | AI3PL-409642 | 40 | 96 | 41 1/2 | 12 | \$13,752 | |
| | AI3PL-4012042 | 40 | 120 | 41 1/2 | 12 | \$14,572 | |
| Peer • Standing Height | AI3EL-367242 | 36 | 72 | 41 1/2 | 10 | \$12,153 | |
| Cutouts for European Power | Al3EL-369642 | 36 | 96 | 41 1/2 | 10 | \$12,857 | |
| All Laminate freestanding | Al3EL-3612042 | 36 | 120 | 41 1/2 | 10 | \$13,670 | |
| | AI3EL-407242 | 40 | 72 | 41 1/2 | 12 | \$13,646 | |
| | Al3EL-409642 | 40 | 96 | 41 1/2 | 12 | \$13,752 | |
| | Al3EL-4012042 | 40 | 120 | 41 1/2 | 12 | \$14,572 | |



Module (for powered tables only) Laminate

Al3P tables include two flip-up tabletop power modules; modules are anodized aluminum.

See Module Types option page for option pricing, power module configurations and wiring options.

All tables except tables with cutouts for European power include inserts to accept an under-table power module in left, center and/or right positions; specify separately.

Note: accepts two Pivot 25 power modules from Office Electrics. These power modules are not supplied by

Inside width clearance is total table width less 9 1/8". Height under table is 37".

Geiger, but can be purchased from Office Electrics.
Please go to http://www.oeelectrics.com/en/pivot for details.

Index



| Product Number | Page | Product Number | Page | Product Number | Page | Product Number | Page |
|----------------|----------------------|-------------------------|--------------|----------------|--------|----------------|------|
| AI3EL | . 24, 25 . 22, 23 | AI3PF AI3PL AI3UP | 24, 25 19 | AIWWL | 22, 23 | | |
| Al3NL | . 24, 25 | | 22, 23 | | | | |

- © 2023 Geiger International, Inc. All rights reserved.
- ${\bf @}$ Geiger International and Peer are registered trademarks of Geiger International, Inc., and/or of its independent designers.
- ® UL is a registered trademark of Underwriters' Laboratories, Inc.
- $^{\text{TM}}$ The Geiger logo, Nerve Center, and Peer are trademarks of Geiger International, Inc., and/or of its independent designers.